

Holt Public Schools Door replacements - (S.D. Direct)














Abbreviation	Name
GLY	Glynn-Johnson Corp
IVE	H.B. Ives
LCN	LCN Commercial Division
SCE	Schlage Electronic Security
SCH	Schlage Lock Company
TRM	Trimco
VON	Von Duprin
ZER	Zero International Inc

Hardware Group No. 01

For use on Door #(s):

HZ15

Provide each PR door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112HD		628	IVE
1	EA	REMOVABLE MULLION	KR4954 STAB		689	VON
1	EA	PANIC HARDWARE	CD-98-EO		626	VON
1	EA	PANIC HARDWARE	CD-98-NL-OP-110MD		626	VON
3	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	RIM HOUSING	20-079		626	SCH
4	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	STANDARD & ADA FLUSH CUP PULL	1111B			TRM
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	MULLION SEAL	8780N		BK	ZER
2	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	545A		A	ZER
2	EA	DOOR CONTACT	679-05HM		BLK	SCE
			- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS			

OPERATIONAL DESCRIPTION:

DOOR NORMALLY CLOSED AND LOCKED, EXTERIOR PULL HANDLES PRESENT. KEYWAY ON ONE LEAF FOR KEY OVERRIDE FROM EXTERIOR. CYLINDER DOGGING FOR KEY HOLDERS TO PLACE DOOR IN PUSH PULL OPERATION WHEN NEEDED FROM THE INSIDE.

Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 02

For use on Door #(s):

NC01

Provide each SGL door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	CONT. HINGE	112HD EPT		628	IVE
3	EA	POWER TRANSFER	EPT10 CON		⚡ 689	VON
1	EA	REMOVABLE MULLION	KR4954 STAB		689	VON
2	EA	ELEC PANIC HARDWARE	LX-RX-QEL-98-EO-CON 24 VDC		⚡ 626	VON
1	EA	ELEC PANIC HARDWARE	LX-RX-QEL-98-NL-OP-110MD- CON 24 VDC		⚡ 626	VON
1	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	RIM HOUSING	20-079		626	SCH
2	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
3	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
3	EA	STANDARD & ADA FLUSH CUP PULL	1111B			TRM
1	EA	GASKETING	429AA		AA	ZER
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	MULLION SEAL	8780N		BK	ZER
3	EA	DOOR SWEEP	8198AA		AA	ZER
3	EA	THRESHOLD	545A		A	ZER
1	EA	MULTITECH READER	MTB11/MTB15 (AS REQ'D)		⚡ BLK	SCE
3	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
			- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS			
1	EA	POWER SUPPLY	POWER SUPPLY (AS REQ'D)		⚡	VON

ELECTRIFIED HARDWARE NOTES:

- 1) LX/RX PROVIDED TO REPORT LATCHING STATUS TO THE ACCESS CONTROL SYSTEM.
- 2) CONNECT RX AND DOOR CONTACTS TO ALLOW FOR CONTACT SHUNTING WHEN PROGRAMMED BY THE ACCESS CONTROL SYSTEM.
- 3) PROVIDE CABLING WIRING AND RELATED CONNECTIONS IN A CONCEALED MANNER WHERE EVER POSSIBLE. ALL TRADES SHALL COORDINATE WHERE ELECTRIFIED HARDWARE IS LISTED.
- 4) PROVIDE INDIVIDUAL OPENING POWER SUPPLIES, OR CENTRALIZED POWER SUPPLIES. ALL INRUSH NEEDS OF THE ELECTRIFIED HARDWARE SPECIFIED MUST BE MET WITH POWER SUPPLY INTENDED. POWER SUPPLY CAN BE PROVIDED BY HARDWARE SUPPLIER, OR BY ACCESS CONTROL CONTRACTOR.

OPERATIONAL DESCRIPTION:

DOORS NORMALLY CLOSED AND LOCKED. EACH LEAF OF THE BANK TO RECEIVE A LATCH RETRACTION PANIC DEVICE. KEY OVERRIDE ON ONE LEAF FROM THE EXTERIOR. CYLINDER DOGGING ON ALL PANICS FROM INSIDE.











Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 03

For use on Door #(s):

NC08                      NC09                      NC25                      WC-02

Provide each SGL door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112HD		628	IVE
1	EA	STOREROOM LOCK	L9080J 06A		626	SCH
1	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
1	EA	LOCK GUARD	LG1		630	IVE
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	RAIN DRIP	142(AA/BK) AS REQ'D		BK	ZER
1	EA	GASKETING	429AA		AA	ZER
1	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	545A		A	ZER
1	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
			- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS			

HARDWARE SET NOTES:

- 1) CONTRACTOR SHALL NOT DISPOSE OF ANY EXISTING DOOR HARDWARE WITHOUT PRIOR OWNER APPROVAL.
- 2) RETURN ALL KEY CORES, LOCKSETS, PANIC DEVICES, AND CLOSERS TO OWNER FOR ATTIC STOCK.
- 3) CONTRACTOR WILL BE RESPONSIBLE FOR REPLACEMENT COSTS FOR ITEMS THAT WERE DISPOSED OF WITHOUT APPROVAL.
- 4) WHERE EXISTING ITEMS ARE LISTED AS RE-INSTALL EXISTING, BE SURE TO PROTECT THOSE ITEMS, OR SALVAGE AND REMOVE THEM FOR REINSTALLATION WITH NEW COMPONENTS LISTED IN EACH SET.

OPERATIONAL DESCRIPTION:

DOOR NORMALLY CLOSED AND LOCKED. KEY OVERRIDE WITH EXTERIOR KEYWAY IN MORTISE LOCK.

Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 04

For use on Door #(s):

NC10.1            NC10.3

Provide each PR door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112HD EPT		628	IVE
2	EA	POWER TRANSFER	EPT10 CON		⚡ 689	VON
1	EA	REMOVABLE MULLION	KR4954 STAB		689	VON
2	EA	ELEC PANIC HARDWARE	LX-RX-QEL-98-EO-CON 24 VDC		⚡ 626	VON
1	EA	ELEC PANIC HARDWARE	LX-RX-QEL-98-NL-OP-110MD- CON 24 VDC		⚡ 626	VON
1	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	RIM HOUSING	20-079		626	SCH
2	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
2	EA	STANDARD & ADA FLUSH CUP PULL	1111B			TRM
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	MULLION SEAL	8780N		BK	ZER
2	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	545A		A	ZER
1	EA	MULTITECH READER	MTB11/MTB15 (AS REQ'D)		⚡ BLK	SCE
2	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
			- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS			
1	EA	POWER SUPPLY	POWER SUPPLY (AS REQ'D)		⚡	VON

ELECTRIFIED HARDWARE NOTES:

- 1) LX/RX PROVIDED TO REPORT TO THE ACCESS CONTROL SYSTEM.
- 2) CONNECT RX AND DOOR CONTACTS TO ALLOW FOR CONTACT SHUNTING WHEN PROGRAMMED BY THE ACCESS CONTROL SYSTEM.
- 3) PROVIDE CABLING WIRING AND RELATED CONNECTIONS IN A CONCEALED MANNER WHERE EVER POSSIBLE. ALL TRADES SHALL COORDINATE WHERE ELECTRIFIED HARDWARE IS LISTED.
- 4) PROVIDE INDIVIDUAL OPENING POWER SUPPLIES, OR CENTRALIZED POWER SUPPLIES. ALL INRUSH NEEDS OF THE ELECTRIFIED HARDWARE SPECIFIED MUST BE MET WITH POWER SUPPLY INTENDED. POWER SUPPLY CAN BE PROVIDED BY HARDWARE SUPPLIER, OR BY ACCESS CONTROL CONTRACTOR.

OPERATIONAL DESCRIPTION:

DOORS NORMALLY CLOSED AND LOCKED. BOTH LEAFS TO RECEIVE NEW LATCH RETRACTION PANIC DEVICES. NO EXTERIOR KEYWAY. CYLINDER DOGGING ON ALL PANICS FROM INSIDE.

Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 05

For use on Door #(s):

NC10.2            NC24            NC26

Provide each PR door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112HD EPT		628	IVE
2	EA	POWER TRANSFER	EPT10 CON		⚡ 689	VON
1	EA	REMOVABLE MULLION	KR4954 STAB		689	VON
1	EA	ELEC PANIC HARDWARE	LX-RX-QEL-98-EO-CON 24 VDC		⚡ 626	VON
1	EA	ELEC PANIC HARDWARE	LX-RX-QEL-98-NL-OP-110MD- CON 24 VDC		⚡ 626	VON
1	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	RIM HOUSING	20-079		626	SCH
2	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
2	EA	STANDARD & ADA FLUSH CUP PULL	1111B			TRM
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	MULLION SEAL	8780N		BK	ZER
2	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	545A		A	ZER
1	EA	MULTITECH READER	MTB11/MTB15 (AS REQ'D)		⚡ BLK	SCE
2	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
			- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS			
1	EA	POWER SUPPLY	POWER SUPPLY (AS REQ'D)		⚡	VON

ELECTRIFIED HARDWARE NOTES:

- 1) LX/RX PROVIDED TO REPORT TO THE ACCESS CONTROL SYSTEM.
- 2) CONNECT RX AND DOOR CONTACTS TO ALLOW FOR CONTACT SHUNTING WHEN PROGRAMMED BY THE ACCESS CONTROL SYSTEM.
- 3) PROVIDE CABLING WIRING AND RELATED CONNECTIONS IN A CONCEALED MANNER WHERE EVER POSSIBLE. ALL TRADES SHALL COORDINATE WHERE ELECTRIFIED HARDWARE IS LISTED.
- 4) PROVIDE INDIVIDUAL OPENING POWER SUPPLIES, OR CENTRALIZED POWER SUPPLIES. ALL INRUSH NEEDS OF THE ELECTRIFIED HARDWARE SPECIFIED MUST BE MET WITH POWER SUPPLY INTENDED. POWER SUPPLY CAN BE PROVIDED BY HARDWARE SUPPLIER, OR BY ACCESS CONTROL CONTRACTOR.

OPERATIONAL DESCRIPTION:

DOORS NORMALLY CLOSED AND LOCKED. BOTH LEAFS TO RECEIVE NEW LATCH RETRACTION PANIC DEVICES. EXTERIOR KEYWAY ON ONE LEAF FOR KEY OVERRIDE. CYLINDER DOGGING ON ALL PANICS FROM INSIDE.

Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 06

For use on Door #(s):

NC21

Provide each PR door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112HD EPT		628	IVE
2	EA	POWER TRANSFER	EPT10 CON		⚡ 689	VON
1	EA	REMOVABLE MULLION	KR4954 STAB		689	VON
1	EA	ELEC PANIC HARDWARE	LX-RX-QEL-98-EO-CON 24 VDC		⚡ 626	VON
1	EA	ELEC PANIC HARDWARE	LX-RX-QEL-98-NL-OP-110MD- CON 24 VDC		⚡ 626	VON
1	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	RIM HOUSING	20-079		626	SCH
2	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	STANDARD & ADA FLUSH CUP PULL	1111B			TRM
2	EA	WALL STOP	WS406/407CCV		630	IVE
1	SET	GASKETING	429AA-S		AA	ZER
1	EA	MULLION SEAL	8780N		BK	ZER
2	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	545A		A	ZER
1	EA	MULTITECH READER	MTB11/MTB15 (AS REQ'D)		⚡ BLK	SCE
2	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
			- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS			
1	EA	POWER SUPPLY	POWER SUPPLY (AS REQ'D)		⚡	VON

ELECTRIFIED HARDWARE NOTES:

- 1) LX/RX PROVIDED TO REPORT LATCHING STATUS TO THE ACCESS CONTROL SYSTEM.
- 2) CONNECT RX AND DOOR CONTACTS TO ALLOW FOR CONTACT SHUNTING WHEN PROGRAMMED BY THE ACCESS CONTROL SYSTEM.
- 3) PROVIDE CABLING WIRING AND RELATED CONNECTIONS IN A CONCEALED MANNER WHERE EVER POSSIBLE. ALL TRADES SHALL COORDINATE WHERE ELECTRIFIED HARDWARE IS LISTED.
- 4) PROVIDE INDIVIDUAL OPENING POWER SUPPLIES, OR CENTRALIZED POWER SUPPLIES. ALL INRUSH NEEDS OF THE ELECTRIFIED HARDWARE SPECIFIED MUST BE MET WITH POWER SUPPLY INTENDED. POWER SUPPLY CAN BE PROVIDED BY HARDWARE SUPPLIER, OR BY ACCESS CONTROL CONTRACTOR.

OPERATIONAL DESCRIPTION:

DOORS NORMALLY CLOSED AND LOCKED. EXISTING CARD READER LOCATION TO BE REUSED WITH READER AND NEW LATCH RETRACTION PANICS ON BOTH LEAFS. KEY OVERRIDE ON ONE LEAF TO UNLATCH ONE LEAF FROM THE EXTERIOR. CYLINDER DOGGING PROVIDED TO OVERRIDE ACCESS CONTROL IF DESIRED.













Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 07

For use on Door #(s):

NC22

Provide each PR door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112HD		628	IVE
2	EA	MANUAL FLUSH BOLT	FB458		626	IVE
1	EA	STOREROOM LOCK	L9080J 06A		626	SCH
1	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
1	EA	LOCK GUARD	LG1		630	IVE
1	EA	OH STOP & HOLDER	90H		630	GLY
			-INACTIVE LEAF			
1	EA	SURFACE CLOSER	4040XP HCUSH		689	LCN
1	EA	RAIN DRIP	142(AA/BK) AS REQ'D		BK	ZER
1	SET	GASKETING	429AA-S		AA	ZER
2	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	545A		A	ZER
2	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
			- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS			

OPERATIONAL DESCRIPTION:

DOOR NORMALLY CLOSED AND LOCKED. KEY OVERRIDE WITH EXTERIOR KEYWAY IN MORTISE LOCK. INACTIVE LEAF HELD IN PLACE WITH MANUAL FLUSHBOLTS. ACTIVE LEAF WITH CLOSER AND INTEGRAL HOLDER. INACTIVE LEAF WITH SURFACE OVERHEAD STOP/HOLDER.












Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 09

For use on Door #(s):

NC27

Provide each SGL door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112HD		628	IVE
1	EA	PANIC HARDWARE	CD-98-NL-OP-110MD		626	VON
1	EA	RIM HOUSING	20-079		626	SCH
1	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	STANDARD & ADA FLUSH CUP PULL	1111B			TRM
1	EA	RAIN DRIP	142(AA/BK) AS REQ'D		BK	ZER
1	EA	GASKETING	429AA		AA	ZER
1	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	545A		A	ZER
1	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS						

OPERATIONAL DESCRIPTION:

DOOR NORMALLY CLOSED AND LOCKED, EXTERIOR PULL HANDLE PRESENT, WITHOUT KEYWAY. CYLINDER DOGGING FOR KEY HOLDERS TO PLACE DOOR IN PUSH PULL OPERATION WHEN NEEDED FROM THE INSIDE.












Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 10

For use on Door #(s):

WC-13

Provide each SGL door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112HD		628	IVE
1	EA	PANIC HARDWARE	CD-98-NL-OP-110MD		626	VON
1	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	RIM HOUSING	20-079		626	SCH
2	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	STANDARD & ADA FLUSH CUP PULL	1111B			TRM
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	429AA		AA	ZER
1	EA	DOOR SWEEP	8198AA		AA	ZER
2	EA	THRESHOLD	545A		A	ZER
1	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
		- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS				

OPERATIONAL DESCRIPTION:

DOOR NORMALLY CLOSED AND LOCKED, EXTERIOR PULL HANDLE PRESENT WITH KEYWAY. CYLINDER DOGGING FOR KEY HOLDERS TO PLACE DOOR IN PUSH PULL OPERATION WHEN NEEDED FROM THE INSIDE. KEY OVERRIDE FROM EXTERIOR WILL ONLY UNLATCH THE DOOR MOMENTARILY.











Holt Public Schools Door replacements - (S.D. Direct)

Hardware Group No. 11

For use on Door #(s):


WC-14

Provide each SGL door(s) with the following:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112HD		628	IVE
1	EA	PANIC HARDWARE	CD-98-EO		626	VON
1	EA	MORTISE CYLINDER	20-059 (CAM AS REQ'D)		626	SCH
1	EA	FSIC PRIMUS CORE (BY METAL FRAMES INC.)	20-740		626	SCH
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	STANDARD & ADA FLUSH CUP PULL	1111B			TRM
1	EA	WALL STOP	WS406/407CCV		630	IVE
1	EA	GASKETING	429AA		AA	ZER
1	EA	DOOR SWEEP	8198AA		AA	ZER
2	EA	THRESHOLD	545A		A	ZER
1	EA	DOOR CONTACT	679-05HM		⚡ BLK	SCE
			- CONNECT NEW DOOR CONTACTS TO EXISTING DOOR CONTACT CIRCUITS			



OPERATIONAL DESCRIPTION:

DOOR NORMALLY CLOSED AND LOCKED, EXTERIOR PULL HANDLE PRESENT, WITHOUT KEYWAY. CYLINDER DOGGING FOR KEY HOLDERS TO PLACE DOOR IN PUSH PULL OPERATION WHEN NEEDED FROM THE INSIDE.



Black Frame with Black Pebble doors  
**North 22**


- 2 Ives 112HD continuous hinges 628
- 1 Schlage L9080J 03A 626
- 1 Schlage 20-740 Primus core 626
- 2 Ives FB458 flush bolts 626
- 1 LCN 4040 H S Cush Closers 689
- 1 GJ 903H Overhead Holder 689
- 1 Zero 142AA Drip 628
- 1 Zero 545A Mill 628
- 2 Zero 8198a Sweep 628
- 1 ZERO 429 Weatherstrip 628
- 1 ZERO 383AA astragal BLK
- 2 SCE 679-05 Position Switch 630
- 1 IVES LG1 LOCK GUARD 630



Dark Grey Frame with Dark Grey Pebble doors  
**Horizon 15**

- 2 Ives 112HD continuous hinges 628
- 1 Von Duprin CD98NL-OP 626
- 1 Von Duprin CD98EO 626
- 3 Schlage 20-059 626
- 1 Schlage 20-079 626
- 3 Schlage 20-740 Primus core 626
- 2 Trimco 1111 B Flush Pulls 630
- 2 LCN 4040S Cush Closers 689
- 1 KR4954 689
- 1 Zero 545A Mill 628
- 2 Zero 8198a Sweep 628
- 1 ZERO 429 Weatherstrip 628
- 1 ZERO 8780 seal BLK
- 2 SCE 679-05 Position Switch 630






Black Frame With Black Pebble Finish

North 1

Removable mullion


- 3 Ives 112XY 83" EPT
- 2 Von Duprin RX LX QEL 98EO Exit Device
- 1 Von Duprin RX LX QEL 98NL-OP Exit Device
- 1 KR4954 Mullion
- 3 EPT10 Power Transfer
- 1 Schlage 26-064 Cylinder
- 1 Schlage 20-057 Cylinder
- 2 Schlage 20-740 Core to Existing system
- 3 Trimco 1111B flush Pulls
- 3 LCN 4040 S Cush Closers
- 3 ZERO 545A threshold
- 3 ZERO 8198A sweep
- 3 ZERO 429 weatherstrip
- 3 SCE 679-05HMI Position Switch
- 1 Zero 8780N Seal
- 1 Von Duprin PS902-2RS



Black Frame with Black Pebble Doors

**North #9**


- 1 Ives 112HD continuous hinges
- 1 L9080J 03A lock
- 1 LCN 4040S Cush Closers
- 1 Schlage 20-740 primus cores
- 1 ZERO 545A Threshold
- 1 Zero 8198A Sweep
- 1 Zero 428A Weatherstrip
- 1 SCE 679-05 Position Switch



Black Frame with Black Pebble Doors

**North #8**

- 1 Ives 112HD continuous hinges
- 1 L9080J 03A lock
- 1 LCN 4040S Cush Closers
- 1 Schlage 20-740 primus cores
- 1 ZERO 545A Threshold
- 1 Zero 8198A Sweep
- 1 Zero 428A Weatherstrip
- 1 SCE 679-05 Position Switch




Black Frame with Black Pebble Doors

Removable Mullion


North #10

- 6 Ives 112HD EPT continuous hinges
- 5 Von Duprin RX LX QEL 98EO
- 1 Von Duprin RX LX QEL 98NLOP
- 1 Von Duprin KR 4954 stab
- 6 Von Duprin EPT 10 Con
- 1 Schlage 26-064
- 1 Schlage 20-057
- 6 94P recessed Pulls
- 6 LCN 4040S Cush Closers
- 2 Schlage 20-740 primus cores
- 2 ZERO 545A-Thresholds 6'
- 1 ZERO 545A Thresholds 7'
- 4 ZERO 8198A Sweeps-3'
- 2 ZERO 8198A Sweeps-4'
- 4 ZERO 429 36-84weatherstrip
- 1 ZERO 429 74-84 weatherstrip
- 1 ZERO 8780N seal
- 6 SCE 679-05HMI Position switches




- 2 Ives 112XY EPT 85"
- 2 Von Duprin RX LX 98EO Exit Device
- 1 KR4954 Mullion
- 2 Von Duprin EPT10
- 1 Schlage 26-064 Cylinder
- 2 Schlage 20-740 Core to Existing system
- 2 Trimco 1111B Flush Pulls
- 2 LCN 4040 S Cush Closers
- 1 ZERO 545A threshold
- 2 ZERO 8198A Sweeps sweep
- 2 ZERO 429 Weatherstrip
- 1 ZERO 545A threshold
- 1 ZERO 8780 Seal
- 2 SCE 679-05HMI position switch

Black Frame With Black Pebble Finish




- 2 Ives 112XY 83" EPT 628
- 2 Von Duprin RX LX 98EO Exit Device 626
- 2 Von Duprin EPT10 Power Transfer 689
- 1 Von Durin KR4954 Mullion 689
- 1 Schlage 26-064 Cylinder 626
- 1 Schlage 20-740 Core to Existing system
- 2 Trimco 1111B Flush Pulls 630
- 2 LCN 4040 S Cush Closers 689
- 1 ZERO 545A Threshold mill
- 2 ZERO 8198AA Sweep 628
- 1 ZERO 429 Weatherstrip 628
- 2 SCE 679-05HM Position Switch BLK





2" North 25

Black with Black Pebble Finish

1	Ives 112HD Continuous hinge	628
1	Schlage L9080J 03A	626
1	20-740 Primus core	626
1	LCN 4040 SCUSH	689
1	ZERO 142AA Drip	628
1	ZERO 545A Threshold	
1	ZERO 429 Weatherstrip	628
1	Zero 8198AA Sweep	628
1	SCE 679-05 position switch	689
1	Ives LG1 Lock guard	630



- 2 Ives 112XY 83" EPT
- 1 Von Duprin RX LXCD98EO Exit Device
- 1 Von Duprin RX LXCD98NL-OP Exit Device
- 2 Von Duprin ETP10
- 2 Trimco 1111B Flush Pulls
- 2 Schlage 26-064 Cylinder
- 1 Schlage 20-057 Cylinder
- 3 Schlage 20-740 Core to Existing system
- 2 LCN 4040 S Cush Closers
- 2 ZERU 545A Threshold
- 2 ZERO 8198AA Sweep
- 2 ZERO 429 Weatherstrip
- 2 SCE 670-05HM Position Switch



NORTH 27

Wilcox 13

Black with Black pebble finish

Grey with Grey pebble finish

- 1 IVES 112HD
- 1 VON DUPRN LD 98NL-OP Exit Device
- 1 Schlage 20-057
- 1 Schlage 20-740 Primus core
- 1 Trimco 1111B Flush Pull
- 1 ZERO 545A threshold
- 1 ZERO 8198AA Sweep
- 1 ZERO 429 Weatherstrip
- 1 ZERO 142AA Rain Drip
- 1 SCE 679-05HM Position Switch

- 1 IVES 112HD
- 1 VON DUPRN LD 98NL-OP Exit Device
- 1 Schlage 20-057
- 1 Schlage 20-740 Primus core
- 1 Trimco 1111B Flush Pull
- 1 Ives WS406 wall stop
- 1 ZERO 545A threshold
- 1 ZERO 8198AA Sweep
- 1 ZERO 429 Weatherstrip
- 1 ZERO 142AA Rain Drip
- 1 SCE 679-05HM Position Switch

628  
626  
626  
626  
630  
Mill  
628  
628  
628  
689

628  
626  
626  
626  
630  
630  
630  
Mill  
628  
628  
628  
689



- 1 Ives 112HD 628
- 1 Schlage L9080J 03A 626
- 1 Schlage 20-740 626
- 1 LCN 4040 S CUSH 689
- 1 ZERO 8198A SWEEP 628
- 1 ZERO 429 WEATHERSTRIP 628
- 1 ZERO 545A THRESHOLD mill
- 1 ZERO 142A DRIP 628
- 1 SCE 679-05 POSITION SW 630
- 1 Ives LG1 LOCK GUARD 630

Wilcox 2  
Dark Grey with grey pebble finish doors



- 1 Ives 112HD 628
- 1 Von Duprin CDNL-OP 626
- 1 Schlage 20-079 626
- 2 Schlage 20-740 626
- 1 Schlage 20-059 626
- 1 Trimco 1111B 630
- 1 LCN 4040 S CUSH 689
- 1 ZERO 8198A SWEEP 628
- 1 ZERO 429 WEATHERSTRIP 628
- 1 ZERO 545A THRESHOLD mill
- 1 SCE 679-05 POSITION SW BLK

Wilcox 14  
Dark Grey with grey pebble finish Door